

Start Here

Residential Energy Code Compliance Paths

Stretch Code Communities

2015 IRC Chapter 11 as amended by 780 CMR 51.00¹



Energy Code Questions?

Email: energycodesma@psdconsulting.com

Call: 855-757-9717 (toll free)

Visit: www.masssave.com/energycode

Is your building type listed below?

- R-use building four stories or less

Yes

No

See 2018 IECC [CE]

Is it new construction³?

Yes

No

See IECC [RE] Ch. 5 Existing Buildings

Mandatory requirements:

- Certificate (N1101.3)
- Air leakage (N1102.4)
- Max. fenestration U-factor & SHGC (N1102.5)
- Controls (N1103.1)
- Heat pump supplementary heat (N1103.1.2)
- Duct sealing (N1103.3.2)
- Duct testing (N1103.3.3)
- Building cavities (N1103.3.5)
- Mechanical system pipe insulation (N1103.4)
- Heated water circulation and temperature maintenance systems (N1103.5.1)
- Mechanical ventilation (N1103.6)
- Equipment sizing and efficiency rating (N1103.7)
- Systems serving multiple dwelling units (N1103.8)
- Snow melt and ice system controls (N1103.9)
- Pools and permanent spas (N1103.10)
- Portable spas (N1103.11)
- Lighting equipment (N1104.1)



- One option to the right

HERS Index ≤ 55 ²

- HERS Rating completed per the most recent version of ANSI/RESNET/ICC 301 by a RESNET-certified HERS Rater using RESNET-accredited software
- Permit application: Preliminary HERS report, description of energy features, statement that rating is based on plans
- Final inspection: Final HERS report, rater verified ENERGY STAR Thermal Enclosure checklist, copy of certificate as required by R401.3

Certified ENERGY STAR Homes v3.1

- Verification completed by a RESNET-certified HERS Rater using RESNET-accredited software
- Permit application: Preliminary HERS Report, description of energy features, statement that rating is based on plans
- Final inspection: ENERGY STAR Homes certificate, Final HERS Report, signed ENERGY STAR Thermal Enclosure Checklist, copy of certificate as required by Section R401.3

Passive House Institute (PHI or PHIUS)

- Verification completed by a Certified Passive House Consultant using PHI or PHIUS approved software
- WUFI or PHPP compliance report, statement that report is based on plans, and evidence of PHIUS or PHI precertification
- Final Inspection: Updated WUFI or PHPP compliance report, copy of Passive House Rater's test results, statement that results are based on 'as built' conditions

¹ The provisions of IECC Chapter 4 [RE] are equivalent to IRC Chapter 11.

² If onsite renewable energy is part of the design, the maximum HERS Index may be increased by 5 to 12 points in accordance with 780 CMR Table N1106.4.1

³ Additions, alterations, repairs, and change of occupancy or use shall comply with IECC Chapter 5 Existing Buildings